

Солнечные очки унисекс MINI, HUMPHREY'S, Marc O'Polo

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ecv@nt-rt.ru || сайт: <https://eschenbach.nt-rt.ru/>



Marc O'Polo
EST. IN STOCKHOLM

model 505101
col. 20

Available colours:



Characteristics:

- 140 mm
- 53 mm
- Glazeable
- 21 g
- 48 mm
- Colour gradient
- 19 mm
- Material: Metal



Marc O'Polo
EST. IN STOCKHOLM

model 505105
col. 20

Available colours:



Characteristics:

- 140 mm
- 24 g
- 21 mm
- 50 mm
- 45 mm
- Glazeable
- Mirrored
- Colour gradient
- Material: Combination



Marc O'Polo
EST. IN STOCKHOLM

model 505115
col. 10

Available colours:



col. 10



col. 60



col. 80

Characteristics:

140 mm

30 g

18 mm

56 mm

50 mm

Glazeable

Colour gradient

Material: Metal



Marc O'Polo
EST. IN STOCKHOLM

model 505117
col. 10

Available colours:



col. 10

col. 20

col. 21

Characteristics:

140 mm

24 g

20 mm

54 mm

43 mm

Glazeable

Colour gradient

Material: Metal



Marc O'Polo
EST. IN STOCKHOLM

model 505118
col. 10

Available colours:



col. 10



col.20



col. 21



col. 30

Characteristics:

140 mm

25 g

20 mm

54 mm

51 mm

Glazeable

Colour gradient

Material: Metal



Marc O'Polo
EST. IN STOCKHOLM

model 506112
col. 11

Available colours:



Characteristics:

- 140 mm
- 24 g
- 19 mm
- 51 mm
- 47 mm
- Glazeable
- Colour gradient
- Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506164
col. 10

Available colours:



Characteristics:

- 140 mm
- 52 mm
- 25 g
- 47 mm
- 18 mm
- Glazeable
- Colour gradient
- Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506183
col. 10

Available colours:



col. 10

col. 61

Characteristics:

- 140 mm
- 50 mm
- 22 g
- 45 mm
- 19 mm
- Glazeable
- Material: Combination



Marc O'Polo
EST. IN STOCKHOLM

model 506196
col. 10

Available colours:



Characteristics:

- 140 mm
- 32 g
- 18 mm
- 54 mm
- 46 mm
- Glazeable
- Colour gradient
- Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506197
col. 10

Available colours:



col. 10



col. 40



col. 50



col. 80

Characteristics:

140 mm

35 g

19 mm

53 mm

40 mm

Glazeable

Colour gradient

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506203
col. 10

Available colours:



col. 10



col. 40

Characteristics:

140 mm

35 g

21 mm

53 mm

44 mm

Glazeable

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506204
col. 10

Available colours:



col. 10



col. 30



col. 40



col. 77

Characteristics:

140 mm

55 mm

Glazeable

33 g

46 mm

Material: Acetate

16 mm



Marc O'Polo
EST. IN STOCKHOLM

model 506208
col. 10

Available colours:



col. 10



col. 40



col. 60

Characteristics:

140 mm

57 mm

Glazeable

32 g

49 mm

Colour gradient

15 mm

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506210
col. 10

Available colours:



Characteristics:

- 140 mm
- 53 mm
- Glazeable
- 38 g
- 41 mm
- Colour gradient
- 18 mm
- Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506211
col. 10

Available colours:



col. 10



col. 30



col. 60



col. 66

Characteristics:

140 mm

54 mm

Glazeable

39 g

46 mm

Colour gradient

18 mm

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506212
col. 10

Available colours:



col. 10



col. 40



col. 60

Characteristics:

140 mm

42 g

15 mm

59 mm

49 mm

Glazeable

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506213
col. 40

Available colours:



col. 40



col. 50

Characteristics:

140 mm

41 g

18 mm

56 mm

48 mm

Glazeable

Colour gradient

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506219
col. 10



Available colours:



Characteristics:

- 140 mm
- 53 mm
- Glazeable
- 37 g
- 45 mm
- Colour gradient
- 21 mm
- Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506220
col. 10



Available colours:



col. 10



col. 50



col. 60

Characteristics:

140 mm

52 mm

Glazeable

37 g

46 mm

Colour gradient

21 mm

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506227
col. 40



Available colours:



col. 40



col. 50



col. 86

Characteristics:

140 mm

55 mm

Glazeable

53 g

48 mm

Colour gradient

17 mm

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 506230
col. 40



Available colours:



col. 40

col. 50

Characteristics:

140 mm

56 mm

Colour gradient

40 g

41 mm

Material: Acetate

19 mm



Marc O'Polo
EST. IN STOCKHOLM

model 506231
col. 10



Available colours:



col. 10



col. 40

Characteristics:

140 mm

13 mm

Colour gradient

34 g

51 mm

Material: Acetate

mm



Marc O'Polo
EST. IN STOCKHOLM

model 506232
col. 10



Available colours:



col. 10



col. 30



col. 80

Characteristics:

 145 mm

 39 g

 18 mm

 55 mm

 44 mm

Glazeable

Colour gradient

Material: Acetate



Marc O'Polo
EST. IN STOCKHOLM

model 507001
col. 28

M|O|P|D

Available colours:



col. 28



col. 30

Characteristics:

140 mm

28 g

18 mm

53 mm

46 mm

Glazeable

Mirrored

Colour gradient

Material: Metal



Marc O'Polo
EST. IN STOCKHOLM

model 507002
col. 00

M|O|P|D

Available colours:



M|O|P|D

col. 00



M|O|P|D

col. 20



M|O|P|D

col. 21



M|O|P|D

col. 30

Characteristics:

— 140 mm

○ 53 mm

Glazeable

⚖ 28 g

⊖ 45 mm

Colour gradient

✂ 19 mm

Material: Metal



Marc O'Polo
EST. IN STOCKHOLM

model 507004
col. 10

M|O|P|D

Available colours:



col. 10



col. 61



col. 80

Characteristics:

140 mm

26 g

20 mm

53 mm

48 mm

Glazeable

Mirrored

Colour gradient

Material: Metal



Marc O'Polo
EST. IN STOCKHOLM

model 507007
col. 61

M|O|P|D

Available colours:



M|O|P|D

col. 61



M|O|P|D

col. 80

Characteristics:

140 mm

31 g

20 mm

51 mm

43 mm

Glazeable

Mirrored

Colour gradient

Material: Acetate



HUMPHREY'S
eyewear

model 585290
col. 20

Available colours:



Characteristics:

- 140 mm
- 21 g
- 19 mm
- 53 mm
- 47 mm
- Glazeable
- Spring hinge
- Colour gradient
- Material: Metal



HUMPHREY'S
eyewear

model 585304
col. 30

Available colours:



col. 30

col. 50

col. 60

Characteristics:

140 mm

53 mm

Glazeable

18 g

48 mm

Colour gradient

17 mm

Material: Combination



HUMPHREY'S
eyewear

model 585322
col. 30

Available colours:



col. 30

Characteristics:

140 mm

53 mm

Glazeable

24 g

44 mm

Colour gradient

18 mm

Material: Combination



HUMPHREY'S
eyewear

model 585334
col. 10

Available colours:



col. 10

col. 30

col. 70

Characteristics:

145 mm

26 g

16 mm

59 mm

44 mm

Glazeable

Spring hinge

Colour gradient

Material: Metal



HUMPHREY'S
eyewear

model 585339
col. 60

Available colours:



col. 60



col. 70

Characteristics:

— 140 mm

⚖ 29 g

✂ 18 mm

○ 53 mm

○ 42 mm

Glazeable

Colour gradient

Material: Combination



HUMPHREY'S
eyewear

model 585342
col. 10

Available colours:



col. 10

col. 25

Characteristics:

145 mm

51 mm

Glazeable

24 g

46 mm

Springhinge

20 mm

Colour gradient

Material: Combination



HUMPHREY'S
eyewear

model 585344
col. 10

Available colours:



Characteristics:

- 140 mm
- 50 mm
- Glazeable
- Springhinge
- 21 g
- 43 mm
- Colour gradient
- Material: Combination



HUMPHREY'S
eyewear

model 585345
col. 30

Available colours:



col. 30



col. 55



col. 65

Characteristics:

140 mm

52 mm

Glazeable

22 g

45 mm

Springhinge

17 mm

Colour gradient

Material: Combination



HUMPHREY'S
eyewear

model 585347
col. 10

Available colours:



col. 10



col. 50



col. 60



col. 70

Characteristics:

140 mm

52 mm

Glazeable

22 g

45 mm

Springhinge

17 mm

Colour gradient

Material: Combination



HUMPHREY'S
eyewear

model 586134
col. 10

Available colours:



col. 10



col. 70

Characteristics:

145 mm

54 mm

Glazeable

15 g

47 mm

Colour gradient

17 mm

Material: Metal



HUMPHREY'S
eyewear

model 586142
col. 10

Available colours:



col. 10

col. 40

col. 50

Characteristics:

140 mm

52 mm

Glazeable

22 g

46 mm

Colour gradient

20 mm

Material: Metal



HUMPHREY'S
eyewear

model 586143
col. 10

Available colours:



col. 10

col. 50

col. 70

Characteristics:

140 mm

22 g

19 mm

54 mm

43 mm

Glazeable

Colour gradient

Material: Metal



HUMPHREY'S
eyewear

model 588182
col. 30

Available colours:



col. 30



col. 50



col. 60



col. 65



col. 70

Characteristics:

— 140 mm

⚖ 28 g

✂ 18 mm

○ 53 mm

⌢ 47 mm

Glazeable

Colour gradient

Material: Acetate



HUMPHREY'S
eyewear

model 588184
col. 30

Available colours:



col. 30



col. 50



col. 60

Characteristics:

— 140 mm

⚖ 29 g

✂ 15 mm

○ 55 mm

⌓ 40 mm

Glazeable

Material: Acetate



MINI EYEWEAR

model 745005
col. 53

Available colours:



col. 53

Characteristics:

 140mm	 53 mm	Glazeable
 25 g	 48 mm	Colour gradient
 19mm		Material: Metal



MINI EYEWEAR

model 745006
col.32

Available colours:



col. 32

col. 60

Characteristics:

 140 mm	 52 mm	Glazeable
 25 g	 47 mm	Mirrored
 21 mm		Colour gradient
		Material: Metal



MINI EYEWEAR

model 746015
col. 40

Available colours:



col. 40

col. 60

Characteristics:

140 mm

28 g

18 mm

52 mm

46 mm

Glazeable

Colour gradient

Material: Acetate



MINI EYEWEAR

model 746019
col. 10

Available colours:



col. 10



col. 40



col. 50



col. 80

Characteristics:

140 mm

47 mm

Glazeable

43 g

41 mm

Material: Acetate

23 mm



MINI EYEWEAR

model 746020
col.30

Available colours:



col.30



col.46



col.50

Characteristics:

140mm

38g

22mm

49mm

44mm

Glazeable

Material: Acetate



MINI EYEWEAR

model 746028
col. 30



Available colours:



col. 30



col. 60



col. 70



col. 73

Characteristics:

145 mm

52 mm

Glazeable

36 g

39 mm

Colour gradient

21 mm

Material: Acetate



MINI EYEWEAR.

model 746030
col. 60



Available colours:



Characteristics:

- 145 mm
- 56 mm
- Glazeable
- 36 g
- 48 mm
- Colour gradient
- 18 mm
- Material: Acetate



MINI EYEWEAR

model 746034
col.36



Available colours:



Characteristics:

- 145 mm
- 35 g
- 23 mm
- 48 mm
- 45 mm
- Glazeable
- Colour gradient
- Material: Acetate



MINI EYEWEAR.

model 746036
col. 45



Available colours:



col. 45



col. 57



col. 70



col. 84

Characteristics:

— 140 mm

⚖ 37 g

✂ 25 mm

⊖ 44 mm

⊖ 41 mm

Glazeable

Colour gradient

Material: Acetate



MINI EYEWEAR

model 747027
col. 10

Available colours:



col. 10

col. 63

col. 86

Characteristics:

140 mm

53 mm

Glazeable

true g

10 mm

Springhinge

19 mm

Material: Combination



MINI EYEWEAR

model 747029
col. 37

Available colours:



col. 37

col. 63

Characteristics:

140 mm

52 mm

Glazeable

true g

mm

Springhinge

20 mm

Material: Combination

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: ecv@nt-rt.ru || сайт: <https://eschenbach.nt-rt.ru/>